





UGANDA DEMOGRAPHIC AND HEALTH SURVEY (UDHS) 2022

KEY FINDINGS

Presented by: UBOS Executive Director









Presentation Outline



- 1) Background characteristics for households and respondents
- 2) SDG indicator update
- 3) Fertility and Family planning
- 4) Infant and under 5 Mortality
- 5) Immunization
- 6) Nutrition
- 7) Maternal health care
- 8) Maternal mortality ratio
- 9) HIV
- 10)Sexual violence








BACKGROUND CHARACTERISTICS FOR

HOUSEHOLDS AND RESPONDENTS



Educational attainment of respondents


Percent distribution of women and men aged 15-49



■ No education ■ Primary ■ Secondary ■ More than secondary







FERTILITY




Fertility trends

2022 UDHS

Births per woman for the 3-year period before the survey







Fertility trends




Births per woman for the 3-year period before the survey



2006 UDHS 2011 UDHS 2016 UDHS 2022 UDHS



Fertility by region






Fertility preferences of married women

2022 UDHS

<u>Percent distribution of currently married women aged 15-49 by desire for children</u>






Teenage childbearing by residence




Percent of women age 15-19 who are mothers or pregnant with their first child










FAMILY PLANNING



Current use of contraception



Percentage of women aged 15-49 currently using a contraceptive method






Trends in contraceptive use

2022 UDHS

Percent of currently married women age 15-49 who were using any method and those using a modern method of family planning






Demand for family planning

2022 **UDHS**

Percent of currently married women aged 15-49



Total demand

Met demand Unmet need Percent of

demand satisfied


Percent of demand satisfied by modern methods



Demand for family planning




Percent of currently married women aged 15-49










MORTALITY



Trends in childhood mortality


2022 Uganda Demographic **Health Survey**

Deaths per 1,000 live births for the 5-year period before the survey






Infant Mortality by region






Under 5 Mortality by region










IMMUNIZATION



Childhood Vaccinations

2022 UDHS

Percent of children 12-23 months vaccinated






Trends in Basic Vaccination Coverage



Percent of children age 12-23 months with all basic vaccinations






Trends in Basic Vaccination Coverage



Percent of children aged 12-23 months with all basic vaccinations






Childhood illness


2022 UDHS

Among children under 5 with symptoms of acute respiratory infection (ARI), fever, or diarrhoea, percent for whom advice or treatment was sought from a health facility or provider










NUTRITION



Nutritional Status of Children

2022 UDHS

Percent of children under 5






Trends in Nutritional Status of Children



Percent of children under 6 -59 months






Trends in Nutritional Status of Women and men



Percent of women aged 15-49 and men aged 15-54










MATERNAL HEALTH CARE



Trends in maternal health care coverage



Percent of women aged 15-49 with a live birth in the 5 years before the survey for most recent birth






Trends in maternal health

2022 UDHS

Percent of live births for the 5-year period before the survey






Trends in place of delivery

2022 UDHS

Percent of live births in the 5-year period before the survey






Assistance during delivery



Percent distribution of live births in the 5-year period before the survey




^{*}Skilled provider includes doctor, nurse, midwife, and physician's assistant.



Timing of Postnatal Care (PNC) for Mother




Percent of live births in the 2-year period before the survey














Knowledge of HIV Prevention Methods



Percent of women and men aged 15-49 who know that HIV can be prevented by:




Using condoms

Limiting sex to one uninfected partner

Using condoms AND limiting sex to one uninfected partner


Percent of women and men age 15-24 with comprehensive knowledge* of HIV





Uganda Demographic and Health Survey (UDHS) 2022





SEXUAL VIOLENCE



SEXUAL VIOLENCE

2022 UDHS

Percent of women aged 15-49




last 12 months



Uganda Demographic and Health Survey (UDHS) 2022





Maternal Mortality Ratio (MMR)



Maternal Mortality Ratio

The 2022 UDHS asked women about the deaths of their siblings that occurred during pregnancy, delivery, or 42 days after delivery.

The maternal mortality ratio excludes deaths that were due to accident or violence.


The maternal mortality ratio for the seven-year period before the survey is **189 deaths per 100,000 live births**



Trends in Maternal Mortality Ratio

2022 **UDHS**

Maternal Mortality Ratio per 100,000 live births



(7 years preceding the 2006 UDHS)

2015-2022

(7 years preceding the 2016 UDHS)



Pregnancy-Related Mortality Ratio

The pregnancy-related mortality ratio includes all deaths in this period irrespective of the cause of death.


The pregnancy-related mortality ratio for the 7-year period before the survey is 228 deaths per 100,000 live births



Trends in Pregnancy-Related Mortality Ratio



Pregnancy-related deaths per 100,000 live births





Uganda Demographic and Health Survey (UDHS) 2022









SDGs update





2.2.1 Prevalence of stunting among children under 5 years of age

a) Prevalence of wasting among children under 5 years of age

3.2

24.4



5 GENDER EQUALITY



3.4

































SDGs update

2022 UDHS



3.1.1 Maternal mortality ratio1

189



3.1.2 Proportion of births attended by skilled health personnel

91

3.2.1 Under-five mortality rate

52



3.2.2 Neonatal mortality rate

22

































SDGs update









5.2.1 Proportion of ever-partnered women and girls aged 15 years and older subjected to sexual violence by a current or former intimate partner in the previous 12 months(Female)

11



































Key Findings

- ➤ Women have an average of **5.2** children.
- ➤ Infant mortality rate is 36 deaths per 1,000 live births and under-5 mortality rate is 52 deaths per 1,000 live births.
- >91% of births were **delivered** in a health facility.
- > 54% of children received all basic vaccinations.
- > 26% of children under 5 are stunted.
- > Pregnancy-related mortality ratio for the 7-year period before the survey is 228 deaths per 100,000 live births



www.ubos.org





ubos@ubos.org





Uganda Bureau of Statistics









FOLLOW UBOS

